

# SPECIFICATION



## technical details

according to ISO 8666

LOA	15.03 m	49' 3"
Hull length	13.40 m	44' 0"
Beam	4.58 m	15' 0"
Draft max	0.95 m	3' 1"
Water tank	390 l	86 UK gal
Fuel tank	1500 l	330 UK gal
Displacement	TBC	TBC
CE Category	B	B
Max. persons	12	12

## Engine Standard

2x Volvo Penta IPS700 approx. 31 knots TBC\*

## Engine Option

2x Volvo Penta IPS800 approx. 34 knots TBC\*



\*All performance figures are given in good faith and are intended as an indication. These figures cannot be guaranteed as top speed in particular is affected by the cleanliness of the hull, conditions of the propellers, weight carried and air/sea temperature. Performance is related also to the optional accessories selected. "TBC" stays for: To Be Confirmed. FJORD reserves the right to change specifications in line with the company policy of improvement through research and development. Standard Propeller tested in Greifswald according to Volvo conditions. All measurements/figures approximate. Errors and omissions excepted. Specification and material can be changed without notice. Please check with your dealer for a full list of inclusions. Valid from 2024.09.05 for deliveries until 2025.06.30. F23A.25.V.2024-09-03.807


# EXTERIOR LAYOUTS



*Standard T-Top\**




*Standard\**



*Option\**

\* Option XB3540 Electrohydraulic terraces on p and sb side  
\* Option XB3502 Bathing platform with hydraulic lift and integrated ladder

# INTERIOR LAYOUTS



*Standard*

*Option*

Option recommended XL7300  
Day head door on port side

*Option*

Option recommended XL7200  
Closet in lobby

*Option*

# STANDARD EQUIPMENT

## HULL

- / GRP hull, isophthalic gelcoat, colour: signal white (according to colour card), 1st layer vinyl ester resin. Vacuum infused.
- / Waterline, isophthalic gelcoat, colour: jet black (according to colour card)
- / 8 openable portholes (4 in master cabin, 2 in toilet, 2 in guest cabin)

## DECK & COCKPIT

- / Dashboard, colour: signal white (according to colour card), with foot support, handrail, glovebox, cupholder, horn, switch panel, engine room fire extinguisher system, 2 emergency fuel cut off (pantry).
- / GRP deck, isophthalic gelcoat, colour: signal white (according to colour card), 1st layer vinyl ester resin. Vacuum infused. Large diameter stainless steel handrails, 2 gates at stern. Fold out stairs on port side and starboard bulwark. Manual engine hatch.
- / Synthetic teak on deck, bathing platform and gunwale (according to colour card)
- / FJORD steering wheel with tilting system
- / Glass windshield, open to the top with wipers
- / Bathing platform with telescopic bathing ladder, integrated in bathing platform
- / 8 aluminium mooring cleats, stainless steel handrails
- / Shower unit with hot and cold water
- / Pilot and Copilot seats with hinged bolster
- / T-Top with windshield frame, gelcoat finishing, colour: white

## PROPULSION

- / Engine room, sound insulated, fans, fire extinguisher system, automatic and manual, Batteries-Engines: 2 x 90 Ah / 12 V, Battery charger (for service batteries)
- / 2 Volvo Penta IPS700 (550 hp) with propeller TBC, joystick

- / Volvo Penta multifunction 7" display
- / Volvo Interceptor system with auto trim and List
- / Fuel tank, capacity: 1500 litres
- / Fuel filter

## ELECTRICAL EQUIPMENT

- / 12 V and 230 V electric system with 230 V shore power connection and digital switchboard. CZone bus system. Sockets in master cabin (2+2 USB-C), toilet (1), guest cabin (2+2 USB-C), lobby (1), engine room (1) and 12V on dashboard (1+2 USB-C)
- / Batteries-Service: 2 x 260 Ah AGM
- / Country Version: EU / AUS
- / Inverter/Charger
- / Electric toilet
- / Dimmable spot lights, indirect lights and reading lights in cabins. Light in toilet, under T-top and in engine room.
- / Holding tank, capacity: 140 litres
- / Water tank, capacity: 390 litres
- / Hot water boiler (40 l) and pump
- / Bilge pumps: automatic electric (3) and manual emergency bilge pump in cockpit (1)

## LAYOUT & INTERIOR

- / A1: Master cabin with open bulkhead, double berth, 2 lockers on sb and p side and 2 bedside tables, 1 openable skylight. Fully equipped head with shower stall, rain and handheld shower, tap and comfort seat.
- / B1: Lobby with storage area on sb side. Guest cabin with double berth with slideable mechanism, 1 locker on sb side, 2 bedside tables, stowage on p and sb side.

## EXTERIOR MODULES

- / C1: Storage w. electric opening, sunpad w. 2 movable backrests, 2 foldable tables w. fixed leg, U-shaped bench w. fixed backrest, storage drawers. Galley module, sink w. tap,

- fridge, trash bin, working top in marine mineral stone. Cover for C1 layout.

## UPHOLSTERY & WOOD

- / Exterior upholstery and helmsman seats - Hitch, colour: Starfish (according to colour card)
- / Deluxe mattresses in all cabins
- / Interior furniture in high quality marine plywood, colour: milano oak (according to colour card)
- / Cover material on dedicated furniture areas in master and guest cabin, colour: amber (according to colour card)
- / Artificial leather cover on dedicated areas in master and guest cabin, colour: grey (according to colour card)
- / Flooring in all cabins in: pale acacia (according to colour card)

## TRANSPORT

- / Identified locations for hand held fire extinguishers - (hand held fire extinguishers are not supplied), FJORD Owner's Manual in FJORD document bag